

Interoperability

 healthit.gov/test-method/united-states-core-data-interoperability-uscdi-0

Version 1.3 Updated on 06-30-2021

Revision History

Version #	Description of Change	Version Date
1.0	Initial publication	08-11-2020
1.1	Provided clarity on legacy data in regards to USCDI and added further guidance on meeting the 'address' data element.	11-02-2020
1.2	Provided clarification on the associated certification criteria and the LOINC codes included in the "Applicable Standard(s) section of Data Elements of USCDI.	12-09-2020
1.3	Provided clarifications for Clinical Notes and Provenance data classes.	06-30-2021

Regulation Text

Regulation Text

Standard. United States Core Data for Interoperability (USCDI), Version 1 (v1) (incorporated by reference in §170.299)

Standard(s) Referenced

§ 170.213 United States Core Data for Interoperability (USCDI)

Certification Companion Guide: United States Core Data for Interoperability (USCDI)

This Certification Companion Guide (CCG) is an informative document designed to assist with health IT product development. The CCG is not a substitute for the 2015 Edition final regulation. It extracts key portions of the rule's preamble and includes subsequent clarifying interpretations. To access the full context of regulatory intent please consult the 2015 Edition final rule or other included regulatory reference. The CCG is for public use and should not be sold or redistributed.

Technical Explanations and Clarifications

Applies to all USCDI data classes and data elements

Clarifications:

- In order to advance interoperability, the “Common Clinical Data Set” (CCDS) definition and its references have been replaced with the “United States Core Data for Interoperability” (USCDI) standard Version 1 (v1). [see also [85 FR 25941](#)]
- The adoption of version 1 of the USCDI as a standard for the ONC Health IT Certification Program is not specific to a setting of care, a healthcare specialty, or a specific category of health IT user. Nor is the USCDI specific to a particular content exchange standard (e.g., Health Level Seven International (HL7®) Consolidated Clinical Document Architecture (C-CDA), HL7® Fast Healthcare Interoperability Resources (FHIR®), HL7® V2, and NCPDP SCRIPT). Rather, it applies to the certification of health IT and certified health IT’s ability to send and receive the Data Elements defined by USCDI without requirements regarding functionality, user interface, or the use of those Data Elements in exchange. [see also [85 FR 25670](#)], [see also [85 FR 25804](#)], [see also [85 FR 25676](#)]
- For the purposes of the ONC Health IT Certification Program, specific certification criteria are the way the USCDI comes into effect. For example, the USCDI is referenced as part of the data requirements in the updated “transitions of care” certification criterion (§ 170.315(b)(1)), which also specifies that for certification to that criterion, the C-CDA must be used as the syntax to hold all of the USCDI data. [see also [85 FR 25670](#)]
- USCDI includes the most recent versions of code sets at the time of publication of the USCDI v1 standard. [see also [85 FR 25672](#)]
- As indicated in the Final Rule, relevant standards adopted in the Final Rule may enforce stricter requirements than those required specifically by USCDI. Generally, it is not ONC’s intent to override “shall” or “must support” standard requirements unless otherwise specifically stated in the Final Rule. Therefore, all “shall” and “must- support” elements in the adopted IGs (FHIR US Core or applicable C-CDA IG, as determined by criterion) must be supported even if not specified in the minimum required data elements in USCDI v1.
- Developers are not required to incorporate data that was captured prior to the requirements set forth by the Cures Update certification criteria into the standards or data elements of those new requirements. Rather, when such legacy data is represented, the unavailable data should be represented as not available in a manner appropriate to each criterion and the specific standards the criterion requires. However, data that is incorporated after the Health IT Module has become compliant with the 2015 Edition Cures Update USCDI requirement should be made available in, and according to the USCDI standard.

Applies to all USCDI data classes and data elements

Clarifications:

- In order to advance interoperability, the “Common Clinical Data Set” (CCDS) definition and its references have been replaced with the “United States Core Data for Interoperability” (USCDI) standard Version 1 (v1). [see also [85 FR 25941](#)]
- The adoption of version 1 of the USCDI as a standard for the ONC Health IT Certification Program is not specific to a setting of care, a healthcare specialty, or a specific category of health IT user. Nor is the USCDI specific to a particular content exchange standard (e.g., Health Level Seven International (HL7®) Consolidated Clinical Document Architecture (C-CDA), HL7® Fast Healthcare Interoperability Resources (FHIR®), HL7® V2, and NCPDP SCRIPT). Rather, it applies to the certification of health IT and certified health IT’s ability to send and receive the Data Elements defined by USCDI without requirements regarding functionality, user interface, or the use of those Data Elements in exchange. [see also [85 FR 25670](#)], [see also [85 FR 25804](#)], [see also [85 FR 25676](#)]
- For the purposes of the ONC Health IT Certification Program, specific certification criteria are the way the USCDI comes into effect. For example, the USCDI is referenced as part of the data requirements in the updated “transitions of care” certification criterion (§ 170.315(b)(1)), which also specifies that for certification to that criterion, the C-CDA must be used as the syntax to hold all of the USCDI data. [see also [85 FR 25670](#)]
- USCDI includes the most recent versions of code sets at the time of publication of the USCDI v1 standard. [see also [85 FR 25672](#)]
- As indicated in the Final Rule, relevant standards adopted in the Final Rule may enforce stricter requirements than those required specifically by USCDI. Generally, it is not ONC’s intent to override “shall” or “must support” standard requirements unless otherwise specifically stated in the Final Rule. Therefore, all “shall” and “must-support” elements in the adopted IGs (FHIR US Core or applicable C-CDA IG, as determined by criterion) must be supported even if not specified in the minimum required data elements in USCDI v1.
- Developers are not required to incorporate data that was captured prior to the requirements set forth by the Cures Update certification criteria into the standards or data elements of those new requirements. Rather, when such legacy data is represented, the unavailable data should be represented as not available in a manner appropriate to each criterion and the specific standards the criterion requires. However, data that is incorporated after the Health IT Module has become compliant with the 2015 Edition Cures Update USCDI requirement should be made available in, and according to the USCDI standard.

Assessment and Plan of Treatment

Clarifications:

C-CDA ONLY Clarification: For certification criteria that reference the USCDI to be included within C-CDA document templates, it is permissible to include “goals” in the Plan of Treatment Section that relate to specific actions documented in the plan of treatment. (see Goals clarifications for additional clarification).

Assessment and Plan of Treatment

Clarifications:

C-CDA ONLY Clarification: For certification criteria that reference the USCDI to be included within C-CDA document templates, it is permissible to include “goals” in the Plan of Treatment Section that relate to specific actions documented in the plan of treatment. (see Goals clarifications for additional clarification).

Clinical Notes

Clarifications:

- The Clinical Notes Data Elements are content exchange standard-agnostic. They should not be interpreted or associated with the specific C-CDA Document Templates that may share the same name. [see also [85 FR 25674](#)]
- Clinical notes originating from the Health IT Module are required to be represented in their plain-text form when included in various content exchange standards (e.g., C-CDA, HL7® FHIR®) as may be applicable to the certification criteria in which the USCDI is referenced. [see also [85 FR 25675](#)]
- Clinical note text that originates from outside Health IT Modules should be exchanged using its original format. Health IT Modules should not convert a “machine readable” format to a non-“machine readable” format (e.g., .docx, PDF).
- The LOINC codes included in the “Applicable Standard(s)” section of Data Elements of USCDI “Clinical Notes” Data Class are generic. There are more specific LOINC concepts for each note type that vary by setting, specialty, etc. In most clinical situations, health IT developers are encouraged to use a more specific LOINC code than the code listed in the “Applicable Standard(s)” column to represent the USCDI “Clinical Notes” Data Elements.
- *C-CDA ONLY Clarification:* ONC provides flexibility for the Diagnostic and Laboratory Test Result Narratives to be placed in the CCD “Results” or the “Notes” sections.

Clinical Notes

Clarifications:

- The Clinical Notes Data Elements are content exchange standard-agnostic. They should not be interpreted or associated with the specific C-CDA Document Templates that may share the same name. [see also [85 FR 25674](#)]
- Clinical notes originating from the Health IT Module are required to be represented in their plain-text form when included in various content exchange standards (e.g., C-CDA, HL7® FHIR®) as may be applicable to the certification criteria in which the USCDI is referenced. [see also [85 FR 25675](#)]
- Clinical note text that originates from outside Health IT Modules should be exchanged using its original format. Health IT Modules should not convert a “machine readable” format to a non-“machine readable” format (e.g., .docx, PDF).
- The LOINC codes included in the “Applicable Standard(s)” section of Data Elements of USCDI “Clinical Notes” Data Class are generic. There are more specific LOINC concepts for each note type that vary by setting, specialty, etc. In most clinical situations, health IT developers are encouraged to use a more specific LOINC code than the code listed in the “Applicable Standard(s)” column to represent the USCDI “Clinical Notes” Data Elements.
- *C-CDA ONLY Clarification:* ONC provides flexibility for the Diagnostic and Laboratory Test Result Narratives to be placed in the CCD “Results” or the “Notes” sections.

Goals

Clarifications:

C-CDA ONLY Clarification: For certification criteria that reference the USCDI to be included within C-CDA document templates, “patient goals,” those of the care team, and those that are longitudinal in nature **must** be recorded in the Goals Section.

Goals

Clarifications:

C-CDA ONLY Clarification: For certification criteria that reference the USCDI to be included within C-CDA document templates, “patient goals,” those of the care team, and those that are longitudinal in nature **must** be recorded in the Goals Section.

Health concerns

Clarifications:

C-CDA ONLY Clarification: The Problem Section within C-CDA based document templates contains the problem list of the “priority concerns” that the author deemed significant enough to be on the problem list related to the current encounter. Any additional health concerns should not be contained in the Problem Section.

Health concerns

Clarifications:

C-CDA ONLY Clarification: The Problem Section within C-CDA based document templates contains the problem list of the “priority concerns” that the author deemed significant enough to be on the problem list related to the current encounter. Any additional health concerns should not be contained in the Problem Section.

Immunizations

Clarifications:

- *C-CDA ONLY Clarification:* C–CDA Release 2.1 supports National Drug Code (NDC) code as a translational data element, but the Codes for Vaccines Administered (CVX) code is required to accompany it.
- The Centers for Disease Control and Prevention (CDC) provides a publicly available mapping of NDC codes for vaccines to CVX codes, which ONC encourages developers to utilize.

Immunizations

Clarifications:

- *C-CDA ONLY Clarification:* C–CDA Release 2.1 supports National Drug Code (NDC) code as a translational data element, but the Codes for Vaccines Administered (CVX) code is required to accompany it.
 - The Centers for Disease Control and Prevention (CDC) provides a publicly available mapping of NDC codes for vaccines to CVX codes, which ONC encourages developers to utilize.
-

Medications

Clarifications:

- All medications may not yet have an equivalent RxNorm code. Where no RxNorm code exists, a Health IT Module is not prohibited from using another code (e.g., local codes). However, where corresponding RxNorm codes exist, Health IT Modules must be able to use those codes. [see also [77 FR 54199](#)]
- *C-CDA ONLY Clarification:* The C-CDA R2.1 Cures Update Validator will implement and validate the No Medications best practice. Please follow the [HL7® guidance](#)

to codify No Medications.

Medications

Clarifications:

- All medications may not yet have an equivalent RxNorm code. Where no RxNorm code exists, a Health IT Module is not prohibited from using another code (e.g., local codes). However, where corresponding RxNorm codes exist, Health IT Modules must be able to use those codes. [see also [77 FR 54199](#)]
- *C-CDA ONLY Clarification:* The C-CDA R2.1 Cures Update Validator will implement and validate the No Medications best practice. Please follow the [HL7® guidance](#)

to codify No Medications.

Patient Demographics

Clarifications:

- ONC included Patient Demographics “address” (to represent the postal location for the patient) and “phone number” (to represent the patient’s telephone number) to improve the comprehensiveness of the healthcare information and patient matching data elements.
- Phone Number
C-CDA ONLY Clarification: “Phone number” and “phone number type” must be represented using the same standards, ITU-T E.123 (02/2001) and ITU-T E. 164, as already adopted for this data in 45 CFR 170.207(q) and referenced in the 2015 Edition “transitions of care” certification criterion (§ 170.315(b)(1)(iii)(G)). [see also [85 FR 25672](#)]
- Address
In order to meet the requirement for “address” a Health IT Module must capture at a minimum: street name, number, city/town, state, and zip code.

- Race
 - A Health IT Module needs to be capable of recording multiple races for a patient. For Example: White; Asian. [see also [80 FR 62618](#)]
 - When race is included within a transmission (pursuant to other certification criteria that reference the USCDI) the applicable Office of Management and Budget (OMB) roll-up categories must be able to be included in addition to the specific race codes in the CDC code set. The order and grouping of such codes is not dictated by 2015 Edition rules and, thus, defers to a standard or implementation guide's requirements for how such codes would be represented as part of a transmission.
- Ethnicity
 - A Health IT Module needs to be capable of recording multiple detailed ethnicity for a patient (For example: "Dominican" and "Mexican"). [see also [80 FR 62618](#)]
 - When ethnicity is included within a transmission (pursuant to other certification criteria that reference the USCDI) only one OMB roll-up ethnicity is permitted (in the context of the OMB standard's two question format for race and ethnicity).
 - When "Hispanic or Latino" is the applicable OMB roll-up category, it must be able to be included in addition to the specific ethnicity codes (if applicable) in the CDC code set.
 - *C-CDA ONLY Clarification:* ONC provides the following object identifier (OID) to assist developers in the proper identification and exchange of health information coded to certain vocabulary standards. "Race & Ethnicity" - CDC code system OID: 2.16.840.1.113883.6.238 [see also [80 FR 62612](#)]
- Race and Ethnicity

The following clarifications apply to both Race and Ethnicity.

 - The CDC Race and Ethnicity Code Set Version 1.0 includes over 900 concepts for representing race and ethnicity, in which 921 reference race and 43 reference ethnicity. [see also [80 FR 16816](#)]
 - A product does not need to display all of the race and/or ethnicity codes to meet the certification criterion. The developer has the discretion to create a default selection set or enable customization choices for providers. However, for the purposes of testing, a developer should be prepared to show that the product can represent any of the ethnicities in the value set created by the standard.
 - The concepts in the "Race & Ethnicity" - CDC code system are pre-mapped to the race and ethnicity categories in the OMB Standards for Maintaining, Collecting, and Presenting Federal Data on Race and Ethnicity, Statistical Policy Directive No. 15. Testing will verify that the more granular race and ethnicity codes are correctly mapped to the OMB standard.
 - The OMB standard permits merging the ethnicity and race categories for a "combined format," which would no longer require "not Hispanic or Latino" to be recorded. This alternative approach is also acceptable.

- Language
 - *C-CDA ONLY Clarification:* ONC provides the following OID to assist developers in the proper identification and exchange of health information coded to certain vocabulary standards.
 Tags for Identifying Languages - Request for Comment (RFC) 5646 code system OID: 2.16.840.1.113883.6.316 [see also [80 FR 62612](#)]
 - A product does not need to display all of the language codes to meet the 2015 Edition USCDI definition. The developer has the discretion to create a default selection set or enable customization choices for providers. However, for the purposes of testing, a developer should be prepared to show that the product can represent any of the languages in the value set created by the standard
 - Testing for preferred language using the standard at § 170.207(g)(2) (RFC 5646) will focus on all the languages present in [ISO 639-2](#).
 - Consistent with the RFC 5646 the shortest alpha code for the language should be used. Testing will only test the primary language tag and not test for extension components specified in RFC 5646 such as extended language sub-tags, script tag, nor region tag. [see also [80 FR 16817](#)] Specifically:
 - use alpha 2 character code if one exists (ISO 639-1);
 - use alpha 3 character code if an alpha 2 character code does not exist (ISO 639-2); and
 - region extensions (ISO 3166-1) are permitted but not required (However, if a region extension is used, it will be verified for accuracy as part of testing and must be correct).

Patient Demographics

Clarifications:

- ONC included Patient Demographics “address” (to represent the postal location for the patient) and “phone number” (to represent the patient’s telephone number) to improve the comprehensiveness of the healthcare information and patient matching data elements.
- Phone Number
 - C-CDA ONLY Clarification:* “Phone number” and “phone number type” must be represented using the same standards, ITU-T E.123 (02/2001) and ITU-T E.164, as already adopted for this data in 45 CFR 170.207(q) and referenced in the 2015 Edition “transitions of care” certification criterion (§ 170.315(b)(1)(iii) (G)). [see also [85 FR 25672](#)]
- Address
 - In order to meet the requirement for “address” a Health IT Module must capture at a minimum: street name, number, city/town, state, and zip code.

- Race
 - A Health IT Module needs to be capable of recording multiple races for a patient. For Example: White; Asian. [see also [80 FR 62618](#)]
 - When race is included within a transmission (pursuant to other certification criteria that reference the USCDI) the applicable Office of Management and Budget (OMB) roll-up categories must be able to be included in addition to the specific race codes in the CDC code set. The order and grouping of such codes is not dictated by 2015 Edition rules and, thus, defers to a standard or implementation guide's requirements for how such codes would be represented as part of a transmission.
- Ethnicity
 - A Health IT Module needs to be capable of recording multiple detailed ethnicities for a patient (For example: "Dominican" and "Mexican"). [see also [80 FR 62618](#)]
 - When ethnicity is included within a transmission (pursuant to other certification criteria that reference the USCDI) only one OMB roll-up ethnicity is permitted (in the context of the OMB standard's two question format for race and ethnicity).
 - When "Hispanic or Latino" is the applicable OMB roll-up category, it must be able to be included in addition to the specific ethnicity codes (if applicable) in the CDC code set.
 - *C-CDA ONLY Clarification:* ONC provides the following object identifier (OID) to assist developers in the proper identification and exchange of health information coded to certain vocabulary standards. "Race & Ethnicity" - CDC code system OID: 2.16.840.1.113883.6.238 [see also [80 FR 62612](#)]
- Race and Ethnicity
 - The following clarifications apply to both Race and Ethnicity.*
 - The CDC Race and Ethnicity Code Set Version 1.0 includes over 900 concepts for representing race and ethnicity, in which 921 reference race and 43 reference ethnicity. [see also [80 FR 16816](#)]
 - A product does not need to display all of the race and/or ethnicity codes to meet the certification criterion. The developer has the discretion to create a default selection set or enable customization choices for providers. However, for the purposes of testing, a developer should be prepared to show that the product can represent any of the ethnicities in the value set created by the standard.
 - The concepts in the "Race & Ethnicity" - CDC code system are pre-mapped to the race and ethnicity categories in the OMB Standards for Maintaining, Collecting, and Presenting Federal Data on Race and Ethnicity, Statistical Policy Directive No. 15. Testing will verify that the more granular race and ethnicity codes are correctly mapped to the OMB standard.

- Language
 - *C-CDA ONLY Clarification:* ONC provides the following OID to assist developers in the proper identification and exchange of health information coded to certain vocabulary standards.
Tags for Identifying Languages - Request for Comment (RFC) 5646 code system OID: 2.16.840.1.113883.6.316 [see also [80 FR 62612](#)]
 - A product does not need to display all of the language codes to meet the 2015 Edition USCDI definition. The developer has the discretion to create a default selection set or enable customization choices for providers. However, for the purposes of testing, a developer should be prepared to show that the product can represent any of the languages in the value set created by the standard
 - Testing for preferred language using the standard at § 170.207(g)(2) (RFC 5646) will focus on all the languages present in [ISO 639-2](#).
 - Consistent with the RFC 5646 the shortest alpha code for the language should be used. Testing will only test the primary language tag and not test for extension components specified in RFC 5646 such as extended language sub-tags, script tag, nor region tag. [see also [80 FR 16817](#)] Specifically:
 - use alpha 2 character code if one exists (ISO 639-1);
 - use alpha 3 character code if an alpha 2 character code does not exist (ISO 639-2); and
 - region extensions (ISO 3166-1) are permitted but not required (However, if a region extension is used, it will be verified for accuracy as part of testing and must be correct).

Problems

Clarifications:

ONC strongly encourages health IT developers to enable users to perform real-time clinical coding using SNOMED CT®, but clarify that real-time clinical coding in SNOMED CT® is not required for the purposes of certification.

Problems

Clarifications:

ONC strongly encourages health IT developers to enable users to perform real-time clinical coding using SNOMED CT®, but clarify that real-time clinical coding in SNOMED CT® is not required for the purposes of certification.

Provenance

Clarifications:

- Even though the “author” Data Element is not explicitly required in USCDI, the health IT standards in which USCDI Data Elements are represented also set specific data element requirements for certain contexts. [[85 FR 25675](#)]
- USCDI data elements exchanged via C-CDA require the use of the “Author Participant” template for provenance at the CDA Header, CDA Section, and CDA Entry level. Multiple authors can be entered at the CDA Section and CDA Entry levels. If provenance is the same for all data elements in the C-CDA document, follow guidance in HL7 CDA® R2 Implementation Guide: C-CDA Templates for Clinical Notes R2.1 Companion Guide (2019). For USCDI Patient Demographic data class in which there are cases of “multiple” provenance information associated across data elements solely contained in the C-CDA Header (or within the US Core FHIR Patient Profile), Health IT Developers are still required to include provenance information for the individual elements, but have flexibility in how to include it.
- “Author” has not been finalized as a required Data Element within the provenance Data Class in USCDI. However, for exchanging certain data elements, such as “clinical notes,” it is critical to also send the “author” information if available. [[85 FR 25675](#)]
- “Provenance” is constrained to only scope of data for which the health IT developer is the owner/steward. [see also [85 FR 25914](#)]

Provenance

Clarifications:

- Even though the “author” Data Element is not explicitly required in USCDI, the health IT standards in which USCDI Data Elements are represented also set specific data element requirements for certain contexts. [[85 FR 25675](#)]
- USCDI data elements exchanged via C-CDA require the use of the “Author Participant” template for provenance at the CDA Header, CDA Section, and CDA Entry level. Multiple authors can be entered at the CDA Section and CDA Entry levels. If provenance is the same for all data elements in the C-CDA document, follow guidance in HL7 CDA® R2 Implementation Guide: C-CDA Templates for Clinical Notes R2.1 Companion Guide (2019). For USCDI Patient Demographic data class in which there are cases of “multiple” provenance information associated across data elements solely contained in the C-CDA Header (or within the US Core FHIR Patient Profile), Health IT Developers are still required to include provenance information for the individual elements, but have flexibility in how to include it.
- “Author” has not been finalized as a required Data Element within the provenance Data Class in USCDI. However, for exchanging certain data elements, such as “clinical notes,” it is critical to also send the “author” information if available. [[85 FR 25675](#)]
- “Provenance” is constrained to only scope of data for which the health IT developer is the owner/steward. [see also [85 FR 25914](#)]

Smoking Status

Clarifications:

Base EHR definition will now be required to be able to exchange and use smoking status information according to applicable content and formatting standards. [see also [85 FR 25660](#)]

Smoking Status

Clarifications:

Base EHR definition will now be required to be able to exchange and use smoking status information according to applicable content and formatting standards. [see also [85 FR 25660](#)]

Vital Signs

Clarifications:

- Applies to all Vital Signs
 - Systems have the flexibility to choose how to display the vital sign measurement. The requirement only specifies that the vital sign measurement must be exchanged using an applicable unit of measurement with a Unified Code of Units for Measure (UCUM) code. Therefore, systems could exchange a height of 5'6" as 66 inches or 5.5 feet or 167.64 centimeters using the appropriate UCUM code to represent the unit of measure for the measurement (example only). [see also [80 FR 62695](#)]
 - LOINC provides a translation table that enumerates UCUM syntax for a subset of UCUM codes that are commonly used in health IT that may be a useful reference for developers. [see also [80 FR 62695](#)]
 - *C-CDA ONLY Clarification:* ONC also recommends health IT developers and providers follow the guidance provided in C-CDA Release 2.1 for exchanging vital signs using C-CDAs. [see also [80 FR 62695](#)]
- Blood Pressure

Health IT Modules may store and display the systolic and diastolic blood pressure in one field as long as they are exchanged as two separate fields. [see also [80 FR 62694](#)]
- Pulse Oximetry

For pulse oximetry, implementers can choose the LOINC® code with "pulse oximetry" in its name that best represents the method of measurement for exchange for the purposes of testing and certification. [see also [80 FR 62694](#)]

- Pediatric Vital Signs o Pediatric vital signs include both the vital measurements and the percentiles used in the growth charts currently recommended by the Centers for Disease Control and Prevention: for infants birth to 36 months of age: weight-for-length; and head occipital-frontal circumference for age; and for children 2-20 years of age: body mass index (BMI) for age. [see also 85 FR 25674]

Vital Signs

Clarifications:

- Applies to all Vital Signs
 - Systems have the flexibility to choose how to display the vital sign measurement. The requirement only specifies that the vital sign measurement must be exchanged using an applicable unit of measurement with a Unified Code of Units for Measure (UCUM) code. Therefore, systems could exchange a height of 5'6" as 66 inches or 5.5 feet or 167.64 centimeters using the appropriate UCUM code to represent the unit of measure for the measurement (example only). [see also 80 FR 62695]
 - LOINC provides a translation table that enumerates UCUM syntax for a subset of UCUM codes that are commonly used in health IT that may be a useful reference for developers. [see also 80 FR 62695]
 - *C-CDA ONLY Clarification:* ONC also recommends health IT developers and providers follow the guidance provided in C-CDA Release 2.1 for exchanging vital signs using C-CDAs. [see also 80 FR 62695]
- Blood Pressure

Health IT Modules may store and display the systolic and diastolic blood pressure in one field as long as they are exchanged as two separate fields. [see also 80 FR 62694]
- Pulse Oximetry

For pulse oximetry, implementers can choose the LOINC® code with "pulse oximetry" in its name that best represents the method of measurement for exchange for the purposes of testing and certification. [see also 80 FR 62694]
- Pediatric Vital Signs o Pediatric vital signs include both the vital measurements and the percentiles used in the growth charts currently recommended by the Centers for Disease Control and Prevention: for infants birth to 36 months of age: weight-for-length; and head occipital-frontal circumference for age; and for children 2-20 years of age: body mass index (BMI) for age. [see also 85 FR 25674]

Unique Device Identifier(s) for a Patient's Implantable Device(s)

Clarifications:

If a device is still implanted in the patient, it is considered "active." Thus, for the purposes of the USCDI's reference to unique device identifier (UDI), all of a patient's current/"active" implanted devices must be included.

Unique Device Identifier(s) for a Patient's Implantable Device(s)

Clarifications:

If a device is still implanted in the patient, it is considered “active.” Thus, for the purposes of the USCDI’s reference to unique device identifier (UDI), all of a patient’s current/“active” implanted devices must be included.
